APPENDIX D

MH and SA Service Matrix of Public Safety and Service Intensity

MATRIX OF MENTAL HEALTH SERVICES by Level of Public Safety, External Structure Needs, and Symptomology

Commitment Act]			Risk of	Risk of Harm	Need for External	
Designation of	L	Level of Care	Service	Relapse	to Self/Others	Professional Structure	Symptomology
Commitment	e	2010101010	Corrido	rtolapoo	to competitions	Troiceoinar etraetare	cymptomerogy
	a	Non-Residentia	ILOC				
	S		Vocational Support	Low	Low	Low	Mild to moderate
	t					(Follow along support for	(GAF 41-70)
	-					for client with full time job)	(,
	R	Level 5	Medication Management	Moderate to low	Low to moderate	Moderate to low	Mild to severe
	е					(Physician med checks in addition to	(GAF 21-70)
	S					other srvcs; or quarterly, when stable)	
	t	Level 4	Outpatient Therapy	Low to moderate	Low to moderate	Low	Mild to moderate
	ŗ					(Up to 10 therapy sessions	(GAF 31-70)
	C	Lovol 2	Day Rehabilitation	Low to moderate	Low to moderate	over several weeks) Moderate	Moderate to severe
	+	Level 3	Day Renabilitation	LOW to injuderate	Low to inoderate	(3-5 hours program/day;	(GAF 31-60)
	lì					2-5 days/week per need)	Two or more functional limitations
OUTPATIENT	v	Level 3	Community Support	Moderate	Moderate	Moderate	Moderate
Commitments (to	е					(Used in combination with other non-	(GAF 31-60)
community providers)	Δ					residential srvcs; intensive case	Two or more functional limitations
providere)	17 [1 0 10 10	Internalisa Osstrations	Moderate	Moderate	management with direct skill training) Moderate	Madagata ta asyana
		Level 2	Intensive Outpatient	Woderate	Woderate	(Minimum 10 hours group &	Moderate to severe (GAF 31-50)
	╽⊔					individual therapy/week)	One or more functional limitations
	П	Level 1	Day Treatment	High to moderate	High to moderate	High	Moderate to severe
			•		· ·	(Requires medication mgmt;	(GAF 31-50)
						more than 6 hours of structured	Significant interference
	$ \nabla $					programming required per day)	in one functional area
	М	Residential LO	,				
			Psych Residential	High to moderate	Moderate	Moderate	Moderate
	o s	Transitional	Rehabiliation	riigii to illouerate	Woderate	(Active rehab to acquire living skills &	(GAF 31-60)
	t		Kenabination			move to independence; 24 hour	(Two or more functional limitations)
	_					non-institutional community residential	(Stable psychiatric condition)
	R	Intermediate	Intermediate Residential	High	High to moderate	High to moderate	High to moderate
	е				•	(Expectation of slower progress	(Stable psych condition with significant
INPATIENT Commitments (to Regional Centers	s					toward change/rehab)	cognitive deficits & two functional limitations)
	t	l	20				
	r	Inpatient to HH					
or hospitals	i		Secure Subacute	High	High	High	Severe
contracted with Regions)	C t			(psychiatrically unstable) (medically stable)		(Highly secure, 24 hour supervision; seclusion/restraint available)	(Psychiatrically unstable with GAF 31-41) (At least two functional limitations)
1.09.0)	ì		Acute Inpatient	High	High	High	Severe
	v			(medically unstable)	· · · • · · ·	(Highly acute; daily treatment	(Psychiatrically unstable)
	e			. , . ,		adjustment; highly secure w/medical)	(At least two functional limitations)

Symptomology _ Terms Critical Symptom Factors (GAF scores): Acute: 0-19; Severe: 20-30; Moderate: 31-60; Low: 61-70.

Functional Areas: social, vocational, educational, activities of daily living/life skills (ie, budgeting, cooking, etc), interpersonal skills, housing, legal, family/marital, employment, crisis/relapse, medication management, substance abuse, resource acquisition.

MATRIX OF <u>SUBSTANCE ABUSE</u> SERVICES by Level of Public Safety, External Structure Needs, and Symptomology

Commitment Act				Risk of	Risk of Harm	Need for External	
Designation of Commitment	L	Level of Care	Service	Relapse	to Self/Others	Professional Structure	Symptomology
Communent	е	hi					
	a	Non Residentia		1 4	1 4	1	Mild to mediants
	S t	Level 4	Outpatient Therapy	Low to moderate	Low to moderate	Low (Up to 10 therapy sessions	Mild to moderate (GAF 31-70)
	١,					over several weeks)	(GAI 31-70)
	R	Level 3	Community Support	Moderate	Low to moderate	Moderate	Moderate
	е					(Used in combination with other non-	(GAF 31-60)
	S t					non-residential srvcs, especially Intensive Outpatient; intensive case	(Three or more problem areas) (Substance dependent)
	r					management with direct skill training)	(Substance dependent)
	i	Level 2	Intensive Outpatient	Moderate to high	Low to moderate	Moderate	Moderate to high
	С		-	_		(Minimum 10 hours group &	(GAF 31-50)
	t					individual therapy/week) (Combines well w/Community Support)	(Unstable substance abuse problem)
	V	l evel 1	Partial Care	High	Moderate	High to moderate	Moderate to severe
	ě	201011	r urtiur Gure		moderate	(Daily non-res structure to prevent	(GAF 31-50)
	1					immediate relapse; more than 6 hours	(Unstable substance abuse problem)
OUTPATIENT	□□					structured programming required/day)	(Significant deficts in two problem areas)
Commitments (to							
community providers)	П	Residential LO					
	4	Transitional	Halfway House	High	Moderate	Moderate	Moderate
	M					(Support services, opportunity to work while in the service	(GAF 41-60) (Two or more problem areas)
	O S					and build coping skills)	(Stable psychiatric condition)
	t		Therapeutic Community	High	Moderate to high	Moderate to high	Moderate to Severe
				-	_	(Expectation of slower progress	(GAF 31-60)
	R					toward change/rehab)	(Two or more problem areas; generally
	е		Short Term Residential	IIIb	Madanata ta binb	Madaata ta binb	w/a co-occurring personality disorder)
	S		Snort Term Residential	High	Moderate to high	Moderate to high (21-30 day short term comprehensive	Moderate to Severe (GAF 31-60)
	ř					service with 24 hour supervision)	(Two or more problem areas)
	i					(Community Support effective	` '
	C	l = 1 = = = =				at discharge)	
	t	intermediate	Intermediate Residential	High	Moderate to high	Moderate to high (Expectation of slower progress	Moderate to High (Stable condition with significant
	v l					toward change/rehab; prior history	cognitive deficits & at least two
	ė					of multiple treatment failures)	problem areas)

Critical Symptom Factors (GAF scores): Acute: 0-19; Severe: 20-30; Moderate: 31-60; Low: 61-70.

Symptomology Terms Problem Areas: relapse prevention, interpersonal skills, life skills, housing, legal, medical, family/marital, employment, vocational; educational, toxicology, emergency/relapse, social, medication management, mental health, substance abuse, resource acquisition.